



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

XXIII. *A Catalogue of the Fifty Plants from Chelsea Garden, presented to the Royal Society by the worshipful Company of Apothecaries, for the Year 1763, pursuant to the Direction of Sir Hans Sloane, Baronet, Med. Reg. et Soc. Reg. aliquando Præses: By John Wilmer, M. D. clariss. Societatis Pharmaceut. Lond. Soc. Hort. Chelsean. Præfectus et Prælector Botanic.*

- Read May 3, 1764. } 2051 **A** *Chillæa* foliis pinnatis supra-decompositis laciniis linearibus distantibus. Flor. Leyd. Prod. 175.
- 2052 *Achillæa* foliis fetaceis dentatis, denticulis subintegris subulatis reflexis. Linn. Sp. pl. 896.
- 2053 *Achyranthes* caule erecto, foliis ovatis, calycibus spicæ adpressis.
- 2054 *Aconitum* foliorum laciniis linearibus superne latioribus linea exaratis. Hort. Cliff. 214.
- 2055 *Æschynomene* leguminibus subæqualibus lævibus. Linn. Sp. Pl. 714.
- 2056 *Angelica* foliolis æqualibus ovatis, inciso-ferratis. Hort. Cliff. 97.
- 2057 *Anthericum* foliis carnosis subulatis teretibus, scapo subramoso. Hort. Upsal. 83.
- 2058 *Asperula* foliis inferioribus senis, intermediis quaternis subulatis triquetris, floribus quadrifidis. Linn. Sp. Pl. 104.
- VOL. LIV. T 2059 *Astragalus*

- 2059 *Astragalus* (*Chinensis*) caulescens procumbens,  
capitulis pedunculatis, leguminibus prismat-  
ticis rectis triquetris, apice subulatis.
- 2060 *Boerhavia* caule diffuso. Linn. Sp. Pl. 3.
- 2061 *Caucalis umbella* trifida, umbellulis trispermis  
involucris triphyllis. Hort. Cliff. 91.
- 2062 *Cerastium* foliis lineari-lanceolatis tomentosis,  
pedunculis ramosis, capsulis globosis.  
*Caryophyllus holosteus* tomentosus angustifolius. C. B. P. 210.
- 2063 *Chionanthus* pedunculis trifidis trifloris. Linn.  
Sp. Pl. 8.
- 2064 *Convolvulus* foliis lanceolatis tomentosis, floribus  
capitatis, calycibus hirsutis, caule erecti-  
usculo. Linn. Sp. Pl. 224.
- 2065 *Cytisus* floribus capitatis, ramis decumbentibus.  
Prod. Leyd. 376.
- 2066 *Dracocephalum* floribus verticillatis, bracteis  
oblongis ovatis integerrimis, corollis majus-  
culis nutantibus. Hort. Upsal. 167.
- 2067 *Echium* corollis stamine longioribus. Linn.  
Sp. Pl. 140.  
*Echium amplissimo folio Lusitanicum*. Tourn.  
Inst. 135.
- 2068 *Erigeron* pedunculis alternis unifloris. Hort.  
Cliff. 407.
- 2069 *Euphorbia inermis* fruticosa, foliis lanceolato-  
linearibus, floribus erectis, capsulis glabris.
- 2070 *Euphorbia umbella* quinquefida trifida dichotoma,  
involucellis ovatis, foliis lanceolatis,  
capsulis lanatis. Lin. Sp. Pl. 460.
- 2071 *Ferula* foliis pinnatifidis, pinnis linearibus planis  
trifidis. Hort. Cliff. 95.

- 2072 *Ferula durior* seu rigidis et brevissimis foliis.  
Bocc. Mus. p. 2. Tab. 76.
- 2073 *Galium foliis octonis linearibus fulcatis, ramis  
floriferis brevibus.* Hort. Cliff. 107.
- 2074 *Gypsophylla foliis lanceolatis subtrinerviis rectis.*  
Linn. Sp. Pl. 582.
- 2075 *Hypericum floribus tetragynis, caule erecto  
herbaceo simplici, foliis integerrimis semiam-  
plexicaulibus.*
- 2076 *Hypochaeris calycibus æqualibus hispidis.* Hort.  
Cliff. 385.
- 2077 *Ilatis foliis omnibus dentatis.* Linn. Sp. Pl. 671.
- 2078 *Lantana foliis oppositis subsessilibus, floribus  
racemosis.* Linn. Syst. 1116.
- 2079 *Mesembry-anthemum foliis triquetris acutis  
punctatis distinctis, calycinis foliolis ovato-  
cordatis.* Hort. Cliff. 220.
- 2080 *Nigella pistillis quinis, petalis integris, capsulis  
turbinateis.* Linn. Sp. Pl. 753.
- 2081 *Nigella pistillis denis corollam æquantibus.*  
Hort. Upsal. 154.
- 2082 *Nigella pistillis quinis, capsulis muricatis subro-  
tundis, foliis subpilosis.* Hort. Upsal. 154.
- 2083 *Oenanthe umbellularum pedunculis margina-  
libus longioribus ramosis masculis.* 62.
- 2084 *Raphanus (Chinensis) filiquis torosis acumina-  
tis foliis integris.*
- 2085 *Rudbeckia foliis lanceolato-ovatis hirsutis, radii  
petalis bifidis.*
- 2086 *Rumex floribus dioicis, foliis cordatis amplexi-  
caulibus.*
- 2087 *Scabiosa corollulis quinquefidis, foliis dissectis,  
receptaculis florum subrotundis.* Hort.  
Cliff. 31.

- 2088 *Scabiosa corollulis quinquefidis radiantibus, foliis bipinnatis linearibus.* Linn. Sp. Pl. 101.  
 2089 *Scabiosa stellata folio laciniato minor five maritima.* C. B. P.  
 2090 *Sisymbrium foliis pinnato-hastatis dentatis, filiquis erectis.* Lin. Sp. Pl. 659.  
 2091 *Scandix feminibus nitidis ovato-subulatis, umbellis sessilibus lateralibus.* H. Cliff. 110.  
 2092 *Scleranthus calycibus fructus patulis.* Flor. Suec. 377.  
 2093 *Solanum caule inermi herbaceo erecto, foliis ovatis integris glabris, umbellis axillaribus.*  
 2094 *Trifolium capitulis dimidiatis, foliis quinatis sessilibus, leguminibus polyspermis.* Hort. Upsal. 223.  
 2095 *Trifolium leguminibus racemosis nudis monospermis, caule erecto.* H. Upsal. 223.  
 2096 *Thalictrum caule folioso sulcato, foliis linearibus carnosiss.* Dalib. Paris. 162.  
 2097 *Veratrum racemo composito, corollis patentissimis.* Lin. Sp. 1044.  
 2098 *Verbena tetrandra, spicis capitato-conicis, foliis serratis caule repente.* Fl. Zeyl. 399.  
 2099 *Veronica spicis terminalibus, foliis oppositis linearilanceolatis, acute serratis, caule erecto.*  
 2100 *Viburnum foliis serrulatis ovatis acuminatis glabris, petiolis marginatis.* Linn. Sp. Pl. 384.